California Department of Justice FIREARMS DIVISION Randy Rossi, Director

INFORMATION BULLETIN

Subject: Implementation of Assembly Bill (AB) 106 - Firearms
Safety Device Standards and Testing, and Standards
for Gun Safes

No.: 2001-04-FD

Date: 12/13/2001

For further information contact: Firearms Division (916) 227-3703

TO: ALL CALIFORNIA LICENSED FIREARMS DEALERS, MANUFACTURERS, CHIEFS OF POLICE, SHERIFFS OFFICES

INTRODUCTION

Effective January 1, 2002, the Department of Justice (DOJ) will be implementing AB 106. As such, effective January 1, 2002, all firearms sold or transferred in this state by a licensed firearms dealer (including pawn returns and private party transfers) and all firearms manufactured in this state are to include or be accompanied by a DOJ-certified firearms safety device such as a cable lock, trigger lock, lock box, etc., that is listed on the DOJ Roster of Firearms Safety Devices Certified for Sale. The DOJ-certified firearms safety device accompanying the sale/transfer must be suitable for the firearm as determined by the device's manufacturer and as listed on the roster. Statutory exemptions are included in this bulletin. **This requirement applies to all firearms transactions initiated on, or after, January 1, 2002.**

As of December 12, 2001, 41 firearms safety devices have been certified to meet the DOJ safety standards and have been placed on the DOJ Roster of Firearms Safety Devices Certified for Sale. Additional devices continue to be submitted for testing. DOJ-certified devices have been certified by their manufacturers to be compatible with hundreds of firearms models encompassing a wide variety and style of firearms. In addition, many of the lock boxes listed on the roster are designed to hold several firearms. Purchasers/transferees owning DOJ-certified lock boxes may not have to purchase a new device every time a firearm is acquired. Finally, persons who own acceptable gun safes are in compliance upon completion of an affidavit (copy attached).

Currently, DOJ-certified firearms safety device manufacturers have reported lackluster interest from firearms dealers regarding obtaining inventories of their products. Dealers should ensure that they have adequate inventories of DOJ-certified firearms safety devices by January 2002.

COMPLIANCE

Compliance with the requirements can be demonstrated in several ways. Typically, the dealer will ensure that the sale or transfer of a firearm includes or is accompanied by a DOJ-certified firearms safety device. Firearm dealers should use the Roster of Firearms Safety Devices Certified for Sale to determine which DOJ-certified firearms safety devices are approved for the firearm(s) involved in the transaction. The roster may be viewed at

http://www.ag.ca.gov/firearms/fsdcertlist.htm. Note: Not all firearms safety devices included with a firearm by firearms manufacturers will be tested and on the roster. A firearm that is accompanied with a safety device not listed on the DOJ roster will not meet the requirement. In these instances, a DOJ-certified firearms safety device or designated affidavit (copies attached) will have to accompany the sale/transfer or the sale/transfer must meet one of the exemptions.

Information Bulletin
Implementation of Assembly Bill (AB) 106 - Firearms
Safety Device Standards and Testing, and Standards for Gun Safes
Page 2

COMPLIANCE CAN BE DEMONSTRATED BY ONE OF THE FOLLOWING:

- The firearm dealer and purchaser or transferee must do <u>all</u> of the following:
 - 1. The purchaser or transferee purchases a DOJ-certified firearms safety device, that is approved for the firearm being acquired, within 30 days prior to the day the purchaser or transferee takes possession of the firearm.
 - 2. The purchaser or transferee presents the DOJ-certified firearms safety device, that is approved for the firearm being acquired, to the firearms dealer when picking up the firearm.
 - 3. The purchaser or transferee presents the original receipt to the firearms dealer. Statute requires that the receipt show the date of purchase, the name, and the model number of the DOJ-certified firearms safety device that is approved for the firearm being acquired. The seller of the firearms safety device may handwrite the information on the receipt.
 - 4. The firearms dealer verifies that the requirements in (1-3) have been satisfied.
 - 5. The firearm dealer must document the DOJ-certified firearms safety device make and model included with or accompanying each firearm transaction in the comment field at the bottom of the DROS (see attached sample DROS form) and keep a copy of the receipt for three years with the Dealer Record of Sale (DROS). -OR-
- The purchaser or transferee completes an affidavit (copy attached) confirming the purchaser or transferee already owns and possesses a DOJ-certified lock box type firearms safety device. This affidavit will relieve the purchaser or transferee from having to remove a lock box from its permanently fixed location or from having to present a lock box that is too large and/or heavy to reasonably expect its presentation at the time of firearm acquisition. In addition, this affidavit can demonstrate compliance for a purchaser or transferee who owns a DOJ-certified lock box type device that can accommodate more than one firearm, including the one being acquired. The firearms dealer shall maintain the affidavit (see attached) and a copy of the receipt for three years with the DROS. -OR-
- A DOJ-certified firearms safety device may be provided by the firearm's manufacturer. The firearms dealer must document the device's make and model in the comment field at the bottom of the DROS (see attached). •OR-
- The firearms purchaser or transferee completes an affidavit (copy attached) confirming the purchaser or transferee already owns and possesses an acceptable gun safe (as described below). The affidavit must identify the safe by make and model as well as state "under penalty of perjury" that the gun safe meets the standards set forth by section 977.50 of the California Code of Regulations. The firearms dealer shall maintain the affidavit (see attached) and a copy of the receipt for three years with the Dealer Record of Sale (DROS).

Information Bulletin Implementation of Assembly Bill (AB) 106 - Firearms Safety Device Standards and Testing, and Standards for Gun Safes Page 3

Gun safes are not required to be tested, and do not appear on the roster. Most safes manufactured with quality materials will meet the acceptable safe criteria. An acceptable gun safe, as defined by section 977.50 of the California Code of Regulations, is either one of the following:

- A gun safe that is able to fully contain firearms and provide for their secure storage, and is listed as an Underwriters Laboratories (UL) Residential Security Container. A UL Residential Security Container will bear a mark identifying itself as meeting the UL Residential Security Container requirements.
- 2. A gun safe that meets all of the following standards:
 - (a) Shall be able to fully contain firearms and provide for their secure storage.
 - (b) Shall have a locking system consisting of at minimum a mechanical or electronic combination lock. The mechanical or electronic combination lock utilized by the safe shall have at least 10,000 possible combinations consisting of a minimum three numbers, letters, or symbols. The lock shall be protected by a case-hardened (Rc 60+) drill-resistant steel plate, or drill-resistant material of equivalent strength.
 - (c) Boltwork shall consist of a minimum of three steel locking bolts of at least ½ inch thickness that intrude from the door of the safe into the body of the safe or from the body of the safe into the door of the safe, which are operated by a separate handle and secured by the lock.
 - (d) A gun safe shall be capable of repeated use. The exterior walls shall be constructed of a minimum 12-gauge thick steel for a single-walled safe, or the sum of the steel walls shall add up to at least .100 inches for safes with two walls. Doors shall be constructed of a minimum one layer of 7-gauge steel plate reinforced construction or at least two layers of a minimum 12-gauge steel compound construction.
 - (e) Door hinges shall be protected to prevent the removal of the door. Protective features include, but are not limited to: hinges not exposed to the outside, interlocking door designs, dead bars, jeweler's lugs and active or inactive locking bolts.

EXEMPTIONS

- The firearms safety device requirement does not apply to the commerce of any firearm defined as an "antique firearm" in paragraph (16) of subsection (a) of section 921 or Title 18 of the United States Code. (PC § 12088.8)
- Additionally, the firearms safety device requirement does not apply to the commerce of any firearm intended to be used by a salaried full-time peace officer, as defined in Chapter 4.5 (commencing with section 830 of Title 3 of Part 2 of the Penal Code) for purposes of law enforcement. This exemption can be granted upon the presentation of the "standard" law enforcement agency letter from the employing agency indicating that the firearm is to be used in the discharge of the officer's official duties. (PC § 12088.8)

Information Bulletin
Implementation of Assembly Bill (AB) 106 - Firearms
Safety Device Standards and Testing, and Standards for Gun Safes
Page 4

REVISED DEALER'S RECORD OF SALE OF FIREARMS (DROS) FORM

Firearms dealers should note the DROS form has been revised to include statements in each signature block for each signer to declare under penalty of perjury that the information provided on the DROS form is true and correct. A copy of this new DROS form is attached to this bulletin. Please destroy your inventories of any prior versions of this form, including the version recently included with Information Bulletin number 2001-02-FD (New and Amended Firearms Laws) and instead use the revised version attached to this bulletin. You may make copies as needed.

If you would like to view the text of the regulations for AB 106, please go to our web site at http://www.ag.ca.gov/firearms/regs/ab106index.htm. If you have any questions regarding this Information Bulletin, the roster, gun safes, or the Firearms Safety Device Testing Program, please call the Firearms Division Information Services Section at (916) 227-3703.

RANDY ROSSI, Director

Firearms Division

For BILL LOCKYER Attorney General

Affidavit Stating Ownership of an Acceptable Gun Safe

The		gun safe that I possess meets
the standar	ds set forth by s	ection 977.50 of the California Code of Regulations (check all that apply):
Und	derwriters Labora	ble to fully contain firearms and provide for their secure storage, and is listed as an tories (UL) Residential Security Container. A UL Residential Security Container will bear a lf as meeting the UL Residential Security Container requirements.
2. A	gun safe that me	ets all of the following standards:
(a)	Shall be able	to fully contain firearms and provide for their secure storage.
(b)	mechanical of combination	locking system consisting of at minimum a mechanical or electronic combination lock. The or electronic combination lock utilized by the safe shall have at least 10,000 possible s consisting of a minimum three numbers, letters, or symbols. The lock shall be protected by a ed (Rc 60+) drill-resistant steel plate, or drill-resistant material of equivalent strength.
(c)	Boltwork sha from the doc	all consist of a minimum of three steel locking bolts of at least ½ inch thickness that intrude or of the safe into the body of the safe or from the body of the safe into the door of the safe, perated by a separate handle and secured by the lock.
(d)	A gun safe s gauge thick s for safes with	hall be capable of repeated use. The exterior walls shall be constructed of a minimum 12-steel for a single-walled safe, or the sum of the steel walls shall add up to at least .100 inches h two walls. Doors shall be constructed of a minimum one layer of 7-gauge steel plate onstruction or at least two layers of a minimum 12-gauge steel compound construction.
(e)	Door hinges limited to: hi or inactive lo	shall be protected to prevent the removal of the door. Protective features include, but are not inges not exposed to the outside, interlocking door designs, dead bars, jeweler's lugs and active ocking bolts.
		at all statements made in this affidavit are true and complete. (Date)
	(Signature)	(Date)
I o		ection is to be used when a receipt for the gun safe is not available the gun safe referenced above.
(Initials)	1	
(This affida	vit applies only to	Stating Ownership of a DOJ-Certified Lock Box lock boxes listed on the Roster of Firearms Safety Devices Certified for Sale and is not valid for safety device. Firearms Dealer: This affidavit is only valid when accompanied by a receipt.)
I own and	possess a	lock box that is listed on the
Roster of F	Firearms Safety	Devices Certified for Sale that will accommodate the firearm(s) I am taking delivery
of on		The DOJ-certified lock box was not presented at the time the firearm was acquired
	(Data)	permanently affixed at some other location or too large and/or heavy to present at the
time of acc	quisition. I decla	are under penalty of perjury that all statements made in this affidavit are true and
complete.		
	(Signature)	(Date)

DEALER'S RECORD OF SALE OF FIREARM

WORKSHEET

CFD NUMBER:								
DROS NO ASSIGNED	 ı	ı	1	1-1	 I	ı	ı	

TRANSACTION INFORMATION										
TRANSMISSION DATE: TIME:				FIREARM HANDGUN				If long gun LONG GUN(S) transaction, enter the number of firearms:		
TRANSACTION TYPE: DEALER SALE	PRIVATE PARTY TRANSFER (cert-list exempt)	LOAN (cert-list exe	mpt) PA	WN/ CONSIGNMEN TURN (<i>cert-list exer</i>	NT		RELIC/OLYMPIC/ SB15EXEMPT/ exempt)	PEACE OFFICER (cert-list exempt)		OYES O NO
			WAITING	G PERIOD E	EXEMP [.]	ΓΙΟΝ	S			
PURCHASER CLAIMS THE FOLLOWING WAITING PERIOD EXEMPTION PURSUANT TO 12078 PC (if applicable):										
				DELIVERED AT N Rifles and Shotguns	s Only)	EVENT		,	o/Relics Only)	
DEALER STATUS Enter CFD number: SPECIAL WEAPONS PERMIT Enter type of permit and number: Transaction exempt from the 1-handgun-per-30-day limit?										
REVOLVER/PISTOL INFORMATION										
MAKE (As Stamped on H	andgun) (Colt, S&W, e	etc)		MODEL (64	47, Redhawk	, etc)		CALIBER(S)		
SERIAL NUMBER		OTHER NUMBER	R (If Different from	Serial Number)	HANDGUN	TYPE:	REVOLV		DERRINGER	I
HANDGUN COLOR:	SILVER/NICK	EL/			BARRELLE	NGTH		NDGUN ORIGIN (USA, Ita	aly, etc)	
BLUE STEEL	STAINLESS	OTHER								
FRAME ONLY? O YES O NO NEW HANDGUN? O YES O NO COMMENTS										
			PURC	HASERINF	ORMA1	ION				
FIRST NAME		MIDDLE	NAME			LAST N	AME		SUFFIX	
ALIAS FIRST NAME		ALIAS N	MIDDLE NAME			ALIAS L	AST NAME		ALIAS SUFFIX	
STREET ADDRESS		'						ZIP CODE		
								(CID) card issued by the I th a letter from the embas		for active
ID TYPE (Circle One) CDL CID MI	IL Diplomatic Pas		ID NUMBER				ID SOL	JRCE (State or Country)		
TELEPHONE NUMBER			DATE OF BIRTH	DAY	/R	PL	ACE OF BIRTH	RACE		
SEX EYI	ES	HAIR	HEIGH		WEIGHT		BF	SC NUMBER OR EXEM	PTION CODE (Handgu	ns Only)
		A	nswer the foll	lowing questi	ons by ch	necking	g "YES" or "	NO"		
OYES ON	NO HAS PURCHA	ASER EVER BEEN (CONVICTED OF A	FELONY OR OF A	AN OFFENSI	E SPECII	FIED IN PENAL	CODE SECTION 12021.1	, 12021(c)(1), OR 120	01.6?
O YES O	NO IS PURCHAS SECTION 810	SER A MENTAL PATI	ENT OR ON LEAV	'E OF ABSENCE F	ROM A MEN	ITAL HO	SPITAL AS DES	CRIBED IN WELFARE A	ND INSTITUTIONS CO	DDE
O YES O	HAS PURCH/ INCOMPETER	ASER EVER BEEN <i>F</i> NT TO STAND TRIA	ADJUDICATED BY L, OR PLACED UN	A COURT TO BE IDER A CONSER\	A DANGER /ATORSHIP,	TO OTH PURSU	ERS, FOUND NO ANT TO WELFA	OT GUILTY BY REASON RE AND INSTITUTIONS	OF INSANITY, FOUNI CODE SECTION 8103) }?
O YES O	NO IS PURCHAS	SER CURRENTLY TH	E SUBJECT OF A	NY RESTRAINING	ORDER PU	JRSUAN	T TO FAMILY CO	DDE SECTION 6380?		
IN ADDITION, I HAVE READ THE LIST OF PROHIBITED OFFENSES, AND NOTHING WOULD PRECLUDE ME FROM POSSESSING A FIREARM. SIGNATURE OF PURCHASER By signing this document, I hereby certify under the penalty of perjury that the information provided is true and correct										
				RANSFER (SELLE			N)		
FIRST NAME		MIDDI	LE NAME			LAST N	AME		SUFFIX	
STREET ADDRESS		•							ZIP CODE	
ID TYPE		ID NUMBER		ID SOURCE	(State or Co	ountry)		TELEPHONE NUMBER		
DATE OF BIRTH	RAC	DE SEX		SIGNATURE OF S	ELLER					
MO DAY	YR						under the penalty	of perjury that the informati	on provided is true and c	orrect
DEALER INFORMATION COMMENTS										
DEALER TELEPHONE NUMBER SIGNATURE OF SALESPERSON										
()	Ву	By signing this document, I hereby certify under the penalty of perjury that the information provided is true and correct								